

ESTABLISHED 1823.

INDIANAPOLIS, SATURDAY MORNING, NOVEMBER 3, 1894.

3 CENTS.

[AT RAILWAY NEWS STANDS, ON TRAINS AND BUSSES.]

## MONARCH GROCERY CO

(INCORPORATED.)

84 East Washington St.

TELEPHONE 1432.

AGAIN, TO-DAY,

We will sell dressed chickens

per lb. 10c

Fresh oysters per quart. 35c

Down goes the price.

Pam California hams, per lb. 9c

Pure lard, per lb. 8c

Kettle-rendered leaf lard, per lb. 10c

Breakfast bacon, small strips, per lb. 12c

Armour's sugar-cured hams, per lb. 13c

Boston baked beans, 3 lb. can. 12c

Dairy Butter, per lb. 15c

17c and 20c

Fresh Creamery Butter received daily

New York full cream cheese, per lb. 16c

Wisconsin full cream cheese, per lb. 17c

New White Oat Flakes, 7 lb. can. 19c

New loose Muscatel raisins, per lb. 5c

Florida sweet oranges, per doz. 25c

Broken Java coffee, per lb. 16c

Fine fresh-roasted Java coffee, per lb. 15c

Hoffman House Java

and Mocha, finest coffee on earth, per lb. 35c

Teas, all grades, at wholesale prices.

Sole agents for Lipton's celebrated Ceylon Teas.

## MONARCH GROCERY COMPANY

## BIG FOUR ROUTE

Account of the Meeting of the

Mississippi Valley Medical Association,

This company will sell on Nov. 13, 14 and 15

EXCURSION TICKETS

HOT SPRINGS, ARKANSAS

\$17.70 FOR THE ROUND TRIP. \$17.70

Good to return until Nov. 30 inclusive.

The Society of the Friends of the

Mississippi Valley Medical Association,

will hold its annual meeting at the

Hotel Hamilton, Hot Springs, Arkansas,

on Nov. 13, 14 and 15. The

arrangements for the trip have been

made by the company, and the

tickets will be sold at a special

rate. The company will also

sell tickets for the trip to

Hot Springs, Arkansas, on

Nov. 13, 14 and 15. The

tickets will be sold at a special

rate. The company will also

sell tickets for the trip to

Hot Springs, Arkansas, on

Nov. 13, 14 and 15. The

tickets will be sold at a special

rate. The company will also

sell tickets for the trip to

Hot Springs, Arkansas, on

Nov. 13, 14 and 15. The

tickets will be sold at a special

rate. The company will also

sell tickets for the trip to

Hot Springs, Arkansas, on

Nov. 13, 14 and 15. The

tickets will be sold at a special

rate. The company will also

sell tickets for the trip to

Hot Springs, Arkansas, on

Nov. 13, 14 and 15. The

tickets will be sold at a special

rate. The company will also

sell tickets for the trip to

Hot Springs, Arkansas, on

Nov. 13, 14 and 15. The

tickets will be sold at a special

rate. The company will also

sell tickets for the trip to

Hot Springs, Arkansas, on

Nov. 13, 14 and 15. The

tickets will be sold at a special

rate. The company will also

sell tickets for the trip to

Hot Springs, Arkansas, on

Nov. 13, 14 and 15. The

tickets will be sold at a special

rate. The company will also

sell tickets for the trip to

Hot Springs, Arkansas, on

Nov. 13, 14 and 15. The

tickets will be sold at a special

Pair warmer.

## THE PRICES

That will prevail next year, are anticipated in the FREE WOOL CLEARANCE SALE at

## THE WHEN

Men's and Youths' Winter Pants at

That were made to sell for \$3. Men's and Youths' Pants at

\$2.68

That were made to sell for \$5. Men's and Youths' Pants at

\$3.88

That were made to sell for \$6. Men's and Youths' Pants at

\$4.78

That were made to sell for \$6.50 and \$7.

## THE WHEN

## MURPHY, HIBBEN &amp; CO

Importers, Jobbers Dry Goods, Notions, Woolens, Etc.

(Wholesale Exclusively)

93, 95, 97 and 99 South Meridian Street.

## MACKINTOSH AND RUBBER CLOTHING

Men's Double Texture Garments, in Scotch Gray, Brown Mixtures

Black and Blue Diagonals, Tricots, Tweeds and Browns

Ladies' Single and Double Texture, in Blue Serge, Tweeds, Brown and

Gray Stripes, etc., etc.

Boys' Rubber-faced Coats, Misses' Single and Double Textures, all of

the latest cut, make and finish.

## WHEN PURCHASING RUBBER BOOTS OR SHOES

ask your dealer for the "Bell" brand, and see that

each shoe has the "Bell" trade mark on the bottom. If he

does not handle them do not buy a so-called "just-as-good,"

but write us, and we will give you the name of a live mer-

chant who does.

## McKEE &amp; CO., : INDIANAPOLIS

- STATE AGENTS -

## BOON RUBBER CO

## REOPENING OF

## SCHWINGE'S TEA STORE

- TO-DAY -

SATURDAY, NOVEMBER 3

I have purchased the stock of HENRY SCHWINGE, 31 North

Pennsylvania street, and the stock will be sold below the appraised value. Extra-

ordinary bargains will be offered. I respectfully ask your kind patronage.

GEORGE F. POPE.

## The China is

## Half the Menu.

Table appointments have much to do with the success

of a dinner, and before you consult the cook it is well to ex-

amine your china service.

## Lump and

## Crushed Coke

FOR SALE

## INDIANAPOLIS GAS COMPANY.

TICKETS TO BE HAD AT

49 South Pennsylvania Street.

## THE LATEST AND BEST COOK-

ing utensils are in Granite Ware or Blue and White Enamelled Ware.

## LILLY &amp; STALKNER,

61 East Washington Street.

## Sunday Journal

By Mail, to Any Address.

Two Dollars per Annum

## NERVOUS PROSTRATION,

(DEPRESSION)

INSOMNIA,

NERVOUS DYSPEPSIA,

MELANCHOLIA,

AND THE THOUSAND ILLS THAT FOLLOW A DEBILITATED CONDITION OF THE

## NERVOUS SYSTEM

An Cure by

## CEREBRINE

THE EXTRACT OF THE BRAIN OF THE

DECEASED WHICH THE NERVOUS SYSTEM

RECOVERS BY THE USE OF CEREBRINE

Dr. WILLIAM A. HAMDON,

IN HIS LABORATORY AT WASHINGTON, D. C.

DOSE, 5 DROPS.

Price, Per Box of 2 Doz. \$2.50.

## COLUMBIA CHEMICAL CO.

WASHINGTON, D. C.

SEND FOR BOOK.

white miners declare that negroes will not be permitted to work.

## A DISASTROUS FIRE

INDIANAPOLIS GAS COMPANY AND SCOTTISH RITE BUILDING.

Dangerous Wind Puts the Gas Company and the Scottish Rite Building in a Dangerous Position.

THREE ALARMS SOUNDED

DISSECTING ROOM WITH TWENTY-TWO BODIES CONSUMED.

Indiana Medical College Loses a Valuable Collection of Specimens—School Will Continue.

INSURANCE IS LACKING

SCOTTISH RITE BUILDING ROOF TOP-PILED THROUGH.

Miraculous Escape of Al Moore, Who Fell Through the Floor Without Injury.

At 3:15 o'clock this morning No. 9 called the fire department to the corner of Pennsylvania and Maryland streets, where the block occupied by the Indiana Medical College and the Indiana Medical College was in a blaze. The flames were leaping from the college apartments and from the eaves. It early appeared that the whole building was doomed and in five minutes a second alarm was sounded. Before this dispatch of the building and the entire upper portion of the building had been consumed. The whole block was in danger by this time, the Scottish Rite building having caught fire. The wind was blowing stiffly and seemed to the element on its way to its destructive work. The origin of the fire is entirely unknown, and it is evident that the flames had spread throughout the entire upper portion of the building before they were noticed at all.

John Kotfel, night watchman at the gas company's office, discovered the fire. He heard a slight noise in the upper floor. He went to the window and looked up towards the roof of the building and saw a large volume of smoke pouring from the eaves. He immediately rushed to the engine house on Maryland street and sounded the alarm. When the department arrived there were no flames yet visible, but there was evident danger in the appearance of the smoke.

It was but a very short time till the flames were burning from all the windows on the Pennsylvania-street front of the building. It then became apparent that the quarters of the Indiana Medical college were doomed to destruction.

The floor of the dissecting room is covered at all times with alcohol, which is usually more or less wet, and the fire could hardly have originated in that. The fumes from the furnace pass up through the center of the building, and that is most likely where the origin was.

Fears soon began to be expressed for the safety of the Scottish Rite building, which adjoins the gas company's building on the north. Although there was a torrent of water being poured through the windows it seemed but to increase the fury of the flames, which rapidly ate their way forward despite the most persistent efforts of the department. It was then conceded that the gas company's building was doomed, and the night watchman and employees about the building began to carry out the most valuable of the books.

In the dissecting room were twenty-two bodies, which were all consumed. The room on the third floor and, of course, no one could see how they looked during the progress of the fire, but from the peculiar sound of burning it was quite evident that they were being consumed. They were all lying exposed on separate tables in the room just as they had been left at 9 o'clock last night by the students. In the cellar there were a number more in the vats, but these were not injured.

The loss of the front medical library in the west was in the front room on the second floor. A large number of these books were contributed by the late Dr. Robbs and the library bore his name. The loss on the chemical laboratory will reach at least \$5,000 or \$6,000 more.

SERIOUS TO SCOTTISH RITE.

While the fire department was fighting valiantly against the flames in the gas office they were unaware that the flames had already spread to the Scottish Rite building. Such was the fact, however, and it was soon made apparent that the flames had made no little headway in this building. Scarcely had the fire been extinguished in the gas office when the flames were seen in the building, and then it was seen that the whole interior of the Mason's building on the upper floors was flame, and it was not tillering where the flames might spread before they could be checked.

The pathological specimens of the college

were saved by the firemen.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

The firemen were very successful in their efforts to save the building, and the fire was extinguished at 4:15 o'clock.

## A DISASTROUS FIRE

INDIANAPOLIS GAS COMPANY AND SCOTTISH RITE BUILDING.

Dangerous Wind Puts the Gas Company and the Scottish Rite Building in a Dangerous Position.

THREE ALARMS SOUNDED

DISSECTING ROOM WITH TWENTY-TWO BODIES CONSUMED.

Indiana Medical College Loses a Valuable Collection of Specimens—School Will Continue.

INSURANCE IS LACKING

SCOTTISH RITE BUILDING ROOF TOP-PILED THROUGH.

Miraculous Escape of Al Moore, Who Fell Through the Floor Without Injury.